

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) A method, performed by a processor at a communications device, for correlating information associated with one or more products between multiple provider entities, comprising:

receiving a first data associated with each of the one or more products from a first delivery entity;

presenting to the multiple provider entities, the first data associated with each of the one or more products;

receiving a first modification to the first data by a first of the multiple provider entities;

presenting the first modification to the first data to the first delivery entity;

receiving an acceptance of the first modification from the first delivery entity;

associating the first modification with the first of the multiple provider entities;

offering at least one of the one or more products to clients of the first of the multiple provider entities, wherein the clients of the first of the multiple provider entities are capable of purchasing the at least one of the one or more products according to the first modification of the first data.

2. (Previously presented) The method of claim 1 further comprising storing the one or more products and the first modification in a central repository.

3. (Previously presented) The method of claim 1 further comprising:

receiving a second modification to the first data from a second of the multiple provider entities;

receiving an acceptance of the second modification from the first delivery entity; and

associating the second modification with the second of the multiple provider entities; and

offering at least one of the one or more products to clients of the second of the multiple provider entities, wherein the clients of the second multiple provider entities are capable of purchasing the at least one of the one or more products according to the second modification of the first data.

4. (Canceled)

5. (Previously presented) A system for correlating information associated with one or more products between multiple provider entities, comprising:

means for receiving a first data associated with each of the one or more products from a first delivery entity;

means for presenting to the multiple provider entities, the first data associated with each of the one or more products;

means for receiving a first modification to the first data by a first of the multiple provider entities;

means for presenting the first modification to the first data to the first delivery entity;

means for receiving an acceptance of the first modification from the first delivery entity;

means for associating the first modification with the first of the multiple provider entities;

means for offering at least one of the one or more products to clients of the first of the multiple provider entities, wherein the clients of the first multiple provider entities are capable of purchasing the at least one of the one or more products according to the first modification of the first data.

6. (Previously presented) The system of claim 5, further comprising:

means for receiving a second modification to the first data from a second of the multiple provider entities;

means for receiving an acceptance of the second modification from the first delivery entity; and

means for associating the second modification with the second of the multiple provider entities; and

means for offering at least one of the one or more products to clients of the second of the multiple provider entities, wherein the clients of the second multiple provider entities are capable of purchasing the at least one of the one or more products according to the second modification of the first data.

7. (Canceled)

8. (Currently amended) A method, performed by a processor at a communications device, for negotiating data associated with multiple products between multiple developers and multiple carriers, comprising:

- receiving data associated with multiple products into a central repository;
- presenting the data to multiple carriers;
- receiving from a first carrier, a first modification to a first data portion associated with a first product;
- presenting to a first developer associated with the first product, the first modification;
- receiving an acceptance of the first modification;
- associating the first modification with the first product and the first carrier; and
- offering the first product to clients of the first carrier, wherein the clients of the first carrier are capable of purchasing the first product according to the first modification of the first data.

9. (Previously presented) The method of claim 8 further comprising:

- receiving from a second carrier, a second modification to the first data associated with the first product;
- presenting the second modification to the first developer associated with the first product;
- receiving an acceptance of the second modification;
- associating the second modification with the first product and the second carrier; and
- offering the first product to clients of the second carrier, wherein the clients of the second carrier are capable of purchasing the first product according to the second modification of the first data.

10. (Original) The method of claim 8, wherein the multiple products are associated with different developers.

11. (Previously presented) A system for negotiating data associated with multiple products between multiple developers and multiple carriers, comprising:

- means for receiving data associated with multiple products into a central repository;
- means for presenting the data to multiple carriers;

means for receiving from a first carrier, a first modification to a first data portion associated with a first product;

means for presenting to a first developer associated with the first product, the first modification;

means for receiving an acceptance of the first modification;

means for associating the first modification with the first product and the first carrier; and

means for offering the first product to clients of the first carrier, wherein the clients of the first carrier are capable of purchasing the first product according to the first modification of the first data.

12. (Previously presented) The system of claim 11 further comprising:

means for receiving from a second carrier, a second modification to the first data associated with the first product;

means for presenting the second modification to the first developer associated with the first product;

means for receiving an acceptance of the second modification;

means for associating the second modification with the first product and the second carrier; and

means for offering the first product to clients of the second carrier, wherein the clients of the second carrier are capable of purchasing the first product according to the second modification of the first data.

13. (Original) The system of claim 11, wherein the multiple products are associated with different developers.

14. (Previously presented) A computer-readable medium having computer executable instructions that when executed by a machine, cause the machine to perform operations, the instructions comprising:

instructions to receive data associated with multiple products into a central repository;

instructions to present the data to multiple carriers;

instructions to receive from a first carrier, a first modification to a first data portion associated with a first product;

instructions to present to a first developer associated with the first product, the first modification;

instructions to receive an acceptance of the first modification;

instructions to associate the first modification with the first product and the first carrier;
and

instructions to offer the first product to clients of the first carrier, wherein the clients of the first carrier are capable of purchasing the first product according to the first modification of the first data.

15. (Previously presented) The computer readable means of claim 14 having further instructions comprising:

instructions to receive from a second carrier, a second modification to the first data associated with the first product;

instructions to present the second modification to the first developer associated with the first product;

instructions to receive an acceptance of the second modification;

instructions to associate the second modification with the first product and the second carrier; and

instructions to offer the first product to clients of the second carrier, wherein the clients of the second carrier are capable of purchasing the first product according to the second modification of the first data.

16. (Currently amended) A method, performed by a processor at a communications device, of negotiating metadata associated with an application for execution on a wireless communications device, comprising:

receiving metadata associated with multiple applications;

presenting the metadata to multiple carriers;

providing an automated negotiation forum for the carriers and developers;

receiving into the negotiation forum, modifications to the metadata from carriers, modifications to the metadata from developers, acceptance requests from carriers and acceptance requests from developers;

associating metadata associated with one of the multiple applications with one of the multiple carriers; and

offering the one of the multiple applications to clients of the carrier, wherein the clients of the carrier are capable of purchasing the one of the multiple applications according to the associated metadata.

17. (Previously presented) A system for negotiating metadata associated with an application for execution on a wireless device, comprising:

means for receiving metadata associated with multiple applications;

means for presenting the metadata to multiple carriers;

means for providing an automated negotiation forum for the carriers and developers;

means for receiving into the negotiation forum, modifications to the metadata from carriers, modifications to the metadata from developers, acceptance requests from carriers and acceptance requests from developers;

means for associating metadata associated with one of the multiple applications with one of the multiple carriers; and

means for offering the one of the multiple applications to clients of the carrier, wherein the clients of the carrier are capable of purchasing the one of the multiple applications according to the associated metadata.

18. (Currently amended) A method, performed by a processor at a communications device, for providing a negotiation forum, comprising:

providing electronic access to an automated system to multiple provider entities and multiple delivery entities;

presenting to the multiple delivery entities metadata associated with products associated with the multiple provider entities;

receiving modification terms associated with the metadata associated with the products associated with the multiple provider entities;

receiving acceptance of modifications to the metadata;

associating the modification of the metadata with multiple delivery entities;

offering one of the products associated with one of the multiple provider entities to clients of one of the multiple delivery entities, wherein the clients of one of the multiple delivery

entities are capable of purchasing the one of the products according to the associated modified metadata.

19. (Previously presented) A computer-readable medium having computer executable instructions that when executed by a machine cause the machine to perform operations, the instructions comprising:

instructions to provide electronic access to an automated system to multiple provider entities and multiple delivery entities;

instructions to present to the multiple delivery entities metadata associated with products associated with the multiple provider entities;

instructions to receive modification terms associated with the metadata associated with the products associated with the multiple provider entities;

instructions to receive acceptance of modifications to the metadata;

instructions to associate the modification of the metadata with multiple delivery entities; instructions to offer one of the products associated with one of the multiple provider entities to clients of one of the multiple delivery entities, wherein the clients of one of the multiple delivery entities are capable of purchasing the one of the products according to the associated modified metadata.

20. (Previously presented) The method of claim 1, wherein the offering step includes conveying the first modification to the first data to the clients.

21. (Previously presented) The method of claim 1, wherein the first modification of the first data corresponds to a price that the clients of the first multiple provider entities must pay to purchase the at least one of the one or more products.